

Safety Data Sheet

Wash-Up Towelette

Section 1. Identification

Product Identifier

Wash-Up Towelette

Synonyms

Numbers

MDS094188; MSD_SDS0053

Manufacturer Stock

MDS094188

Recommended use

Cleansing wipe

Uses advised against

N/A

Manufacturer Contact

Address

Medline Industries. Inc.

3 Lakes Drive

Northfield, IL, 60093

USA

Phone

Emergency Phone

(800) 424-9300

CHEMTREC

(847) 643-4436

Fax

Website

www.Medline.com

(800) 633-5463

Section 2. Hazards Identification

Classification FLAMMABLE LIQUIDS - Category 4

Signal Word Warning

Pictogram

Hazard Statements Combustible liquid

Precautionary Statements

Response In case of fire: Use Foam, powder, carbon dioxide (CO2), water spray to

extinguish.

Prevention Keep away from open flames, sparks. - No smoking

Wear eye protection/protective gloves

Storage Store in a well-ventilated place. Keep cool.

Disposal Dispose of contents/container to an authorized waste collection point

Ingredients of unknown

toxicity

0%

Hazards not Otherwise Classified

May cause slight irritation to eyes.

Section 3. Ingredients

CAS		Ingredient Name	Weight %
64-17-5	Ethanol		3% - 5%

Occupational exposure limits, if available, are listed in Section 8.

Section 4. First-Aid Measures

General: Never give anything by mouth to an unconscious person. If you feel unwell,

seek medical advice (show the label where possible).

Inhalation: Assure fresh air breathing. Allow the victim to rest.

Skin contact: Normally considered as not dangerous for the skin. If skin irritation or rash

occurs: Get medical advice/attention. Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

Eye contact: Rinse immediately with plenty of water. Obtain medical attention if pain,

blinking or redness persist.

Ingestion: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

Most important symptoms Symptoms/injuries:

and effects, both acute and Not expected to present a significant hazard under anticipated conditions of

delayed: normal use.

medical attention and special treatment needed:

Section 5. Fire Fighting Measures

Suitable Extinguishing

Media

Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable Extinguishing

Media

Do not use a heavy water stream.

Special hazards arising from the substance or

mixture:

Fire hazard: Combustible liquid.

Explosion hazard: May form flammable/explosive vapor-air mixture.

Reactivity: Stable: Not reactive when mixed with water.

Advice for firefighters: Firefighting Instructions:

Use water spray or fog for cooling exposed containers. Exercise caution when

General measures: Remove ignition sources. Use special care to avoid static

fighting any chemical fire. Prevent fire-fighting water from entering

environment.

Protection during firefighting:

Do not enter fire area without proper protective equipment, including

respiratory protection.

Section 6. Accidental Release Measures

Personal precautions, protective equipment and emergency procedures:

electric charges. No naked lights. No smoking.

For non-emergency

personnel:

Emergency procedures: Evacuate unnecessary personnel.

For emergency responders:

Protective equipment: Equip cleanup crew with proper protection.

Emergency procedures: Ventilate area.

Environmental precautions: Prevent entry to sewers and public waters. Notify authorities if liquid enters

sewers or public waters.

Methods and material for containment and cleaning

Methods for cleaning up: Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from

other materials.

Reference to other

sections:

See Heading 8. Exposure controls and personal protection.

Section 7. Handling and Storage

Precautions for safe

Additional hazards when processed:

handling: Handle empty containers with care because residual vapors are flammable.

Keep away from flames or sparks. - No smoking.

Precautions for safe handling:

Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapor. No naked lights. No smoking.

Conditions for safe storage, including any incompatibilities:

Technical measures: Proper grounding procedures to avoid static electricity

should be followed.

Storage conditions: Keep only in the original container in a cool, well ventilated place away from: Sources of ignition. Keep container closed when not in use.

Keep in fireproof place.

Incompatible products: Strong bases. Strong acids.

Incompatible materials: Sources of ignition. Direct sunlight. Heat sources.

Storage temperature: 20 - 25 °C No additional information available.

Specific End use(s):

Section 8. Exposure Controls/Personal Protection

Limits Name	
Ethanol STEL: 1,000 ppm TWA: 1,000 ppm Note: Upper respiratory 1,900mg/mm3 track irritation. Confirmed animal carcinogen with 29 CFR 1910.1000 Table Z-1 unknown relevance to Limits humans.	N/A

Personal Protective

Equipment

Goggles, Gloves

Appropriate Engineering

Controls:

Ensure good ventilation of the work station.

Personal Protective

Equipment:

Avoid all unnecessary exposure.

Hand Protection: Wear protective gloves.

Eye Protection: Chemical goggles or safety glasses.

Respiratory protection: Respiratory protection not required in normal conditions. In case of

inadequate ventilation wear respiratory protection.

Other information: Do not eat, drink or smoke during use.

Section 9. Physical and Chemical Properties

Dhysical State	Liquid
Physical State	Liquid
Color	Colorless
Odor	Characteristic
Odor Threshold	N.D.
Solubility	Miscible with
	water
Partition coefficient Water/n-octanol	N.D.
VOC%	N/A
Viscosity	N.D.
Specific Gravity	0.99
Density lbs/Gal	0.99
Pounds per Cubic Foot	N/A
Flash Point	≈ 70 °C
FP Method	N.D.
рН	6.5 - 8.5
Melting Point	N.D.
Boiling Point	≈ 95 °C
Boiling Range	N.D.
LEL	N/A
UEL	N/A
Evaporation Rate	N.D.
Flammability	N.D.
Decomposition Temperature	N.D.
Auto-ignition Temperature	N.D.
Vapor Pressure	N.D.
Vapor Density	N.D.
Evaporation Rate Flammability Decomposition Temperature Auto-ignition Temperature Vapor Pressure	N.D. N.D. N.D. N.D. N.D.

Explosive properties: Combustible liquid
Oxidizing Properties: Not classified as oxidizing

Other information: No additional information available.

Section 10. Stability and Reactivity

Reactivity: Stable: Not reactive when mixed with water.

Chemical stability: Combustible liquid. May form flammable/explosive vapor-air mixture.

Possibility of hazardous

reactions:

None under normal use.

Conditions to avoid: Direct sunlight. Extremely high or low temperatures. Open flame. Overheating.

Heat. Sparks.

Incompatible materials: Strong acids. Strong bases.

Hazardous decomposition Fumes. Carbon monoxide. Carbon dioxide. May release flammable gases.

products:

Section 11. Toxicological Information

Acute toxicity: Ethanol CAS No. 64-17-5

LD50 oral rat: 10740 mg/kg body weight (Rat; OECD 401: Acute Oral Toxicity;

Experimental value)

LD50 dermal rabbit: > 16000 mg/kg (Rabbit; Literature study)

ATE US (oral): 10740.000 mg/kg body weight

Skin corrosion/irritation: Not classified

pH: 6.5 - 8.5

Serious eye
damage/irritation:
Respiratory/Skin
Not classified
Not classified.

Sensitization:

Germ cell mutagenicity: Not classified.
Carcinogenicity: Not classified.
Reproductive Toxicity: Not classified.
Specific Target Organ Not classified.

Toxicity - Single Exposure:

Specific Target Organ Toxicity - Repeated

Exposure:

Not classified.

Aspiration hazard: Not classified.

Section 12. Ecological Information

Toxicity: Ethanol CAS No. 64-17-5

LC50 fish 1: 14200 mg/l (96 h; Pimephales promelas) EC50 Daphnia 1: 9300 mg/l (48 h; Daphnia magna)

LC50 fish 2: 13000 mg/l 96 h; Salmo gairdneri (Oncorhynchus mykiss)

EC50 Daphnia 2: 10800 mg/l (24 h; Daphnia magna)

Threshold limit other aquatic organisms 1: 65 mg/l (72 h; Protozoa) Threshold limit algae 1: 1450 mg/l (192 h; Microcystis aeruginosa; Growth

rate)

Threshold limit algae 2: 5000 mg/l (168 h; Scenedesmus quadricauda;

Growth rate)

Persistence and Ethanol CAS No. 64-17-5

degradability: Persistence and degradability: Readily biodegradable in water. Biodegradable

in the soil. Highly mobile in soil.

Biochemical oxygen demand (BOD): 0.8 - 0.967 g O₂/g substance

Chemical oxygen demand (COD): 1.7 g O₂/g substance

ThOD: 2.1 g O₂/g substance

BOD (% of ThOD): 0.43

Bioaccumulative potential: Ethanol CAS No. 64-17-5

BCF fish 1: 1 (72 h; Cyprinus carpio) Log Pow: -0.31 (Experimental value)

Bioaccumulative potential: Low potential for bioaccumulation (Log Kow < 4).

Mobility in soil: Ethanol CAS No. 64-17-5

Surface tension: 0.022 N/m (20 °C)

Section 13. Disposal

Waste treatment methods: Waste disposal recommendations: Dispose of contents/container to an

authorized waste collection point.

Additional information: Handle empty containers with care because residual

vapors are flammable.

Ecology - waste materials: Avoid release to the environment.

Section 14. Transport Information

UN Number N/A

UN Proper Shipping Name Not Regulated DOT Classification Not Regulated **Packing Group** Not Regulated IMDG: Not Regulated IATA: Not Regulated

Section 15. Regulatory Information

Refer to Section 2 of the SDS. SARA 311/312:

SARA 302: N.A. **SARA 304:** N.A. SARA 313: N.A.

TSCA: All components are listed or exempt.

CERCLA Hazardous N.A.

Substance List:

Clean Air Act (CAA) Section N.A.

112, 112 (r):

New Jersey Right to Know ETHYL ALCOHOL.

Components:

Pennsylvania Right to ETHANOL.

Know Components:

Rhode Island Right to ethyl alcohol.

Know Components:

Massachusetts Right to

Ethanol.

Know Components:

Section 16. Other Information

Revision Date 2/6/2020

Legend N.A. - Not Applicable

N.E. - Not Established N.D. - Not Determined

National Fire Protection Association (U.S.A): Health

Hazard

National Fire Protection 2

Association (U.S.A):

Flammability

National Fire Protection 0

Association (U.S.A):

Reactivity

HMIS (U.S.A.): Health 1

Hazard

HMIS (U.S.A.): Flammability 2 HMIS (U.S.A.): Physical 0

Hazard

Additional Information:

The information contained herein is furnished without warranty or legal responsibility of any kind. Employers should use this information only as a

supplement to other information gathered by them and must make

independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health

of employees.