

SAFETY DATA SHEET (SDS)

SDS Date: 1.23.2019

| Section 1: IDENTIFICATION | | | | | | | |
|--|---|-------------------------|--|--|--|--|--|
| TRADE NAME Topical Anesthetic Spray (3.5oz canisters) PRODUCT ID 140-MED & 140-MST | | DISTRIBUTED BY | McKesson Medical Surgical 9945 Mayland Drive Richamond, VA 23233 | | | | |
| CHEMICAL NAME | 1,1,1,3,3-Pentafluoropropane 1,1,1,2-Tetrafluoroethane | CONTACT INFORMATION | 800-777-4908 Monday – Friday 8am-6pm EST | | | | |
| RECOMMENDED USE | Topical Anesthetic | IN CASE OF EMERGENCY | 1-800-451-8346 3E Company (Day or Night) | | | | |
| FORMULA | CHF ₂ CH ₂ CF ₃ / CH ₂ FCF ₃ | CHEMICAL FAMILY | Halogenated Hydrocarbon | | | | |

Section 2: HAZARDS IDENTIFICATION

Health Rating Flammability Rating Reactivity Rating Special Rating 2 - Moderate 0 - None

1 - Moderate None

Lab Protective Equipment

Neoprene or Viton gloves, lab coat, goggles or face shield, vent hood.

| Hazard Category | Signal Word | Hazard Statement | Pictogram | Precautionary Statement | |
|--------------------------------|--------------|--|------------|---|--|
| Compressed Gas | Warning | Contains gas under pressure; may explode if heated | \Diamond | Store is a well-ventilated place. | |
| Eye Irritation (Category 2B) | Warning | Causes eye irritation | N/A | If product gets into eyes, see the Section 4: First Aid Measures. | |
| Cause | | Effects | | | |
| | Inhalation | When oxygen levels in air are reduced to 12-14% by displacement, symptoms of asphyxiation, loss of coordination, increased pulse rate and deeper respiration will occur. At high levels, cardiac arrhythmia may occur. | | | |
| Potential Acute Health Effects | Ingestion | Unlikely route of exposure due to gaseous nature. Discomfort due to volatility would be expected. | | | |
| | Eye Contact | Liquid contact can cause irritation and frostbite. | | | |
| | Skin Contact | Over application could cause frostbite. Liquid contact is non-irritating. | | | |

| Section 3: COMPOSITION / INFORMATION ON INGREDIENTS | | | | | | | | |
|---|------------|---------------|----------|---------------|--|--|--|--|
| Ingredient | CAS Number | Concentration | OSHA PEL | ACGIH TLV-TWA | | | | |
| 1,1,1,3,3-Pentafluoropropane | 460-73-1 | 95% | None | None | | | | |
| 1,1,1,2-Tetrafluoroethane | 811-97-1 | 5% | None | None | | | | |

Inhalation Inhalation Inhalation Ingestion Ing

Section 5: FIRE FIGHTING MEASURES

Special Fire Fighting Procedures

Fire fighters should wear self-contained, NIOSH approved breathing apparatus for protection against possible toxic decomposition products. Proper eye and skin protection should be provided. Use spray to keep fire-exposed containers cool.

Unusual Fire and Explosion Hazards

Not flammable at ambient temperatures and atmospheric pressure. However this material will become combustible when mixed with air under pressure and exposed to strong ignition sources contact with certain reactive metals may result in formation of explosive or exothermic reactions under specific conditions (e.g. very high temperatures and/or appropriate pressures).

Section 6: ACCIDENTAL RELEASE MEASURES

Spill and Leak Response

If a large quantity of containers the product has been released, evacuate unprotected personnel. Protected personnel should eliminate all sources of ignition and shut off leak, if without risk, and provide ventilation.

Waste Disposal Method

Comply with federal, state and local laws.

Section 7: HANDLING AND STORAGE

Storage Precautions

Store in cool, dry, well ventilated area of low fire risk. Protect against physical damage. Do not subject to temperatures above 120°F (50°C)

Handling Precautions

Use in well-ventilated areas. Do not use near temperatures above 120°F (50°C).

Section 8: EXPOSURE CONTROLS PERSONAL PROTECTION

Engineering Controls Provide local ventilation at filling zones and where leakage is probable. Use with adequate ventilation.

None generally required for adequately ventilated work situations. For accidental release in confined space, where the concentration may be **Respiratory Protection** above the PEL of 1,000 ppm, use a NIOSH approved, self contained, positive pressure respirator for emergencies and in situations where air may

Use protective, impervious gloves and clothing made of neoprene, nitrile or butyl rubber if prolonged or repeated contact with liquid is anticipated. **Skin Protection** Wash clothing promptly, if wet. Remove any non-impervious clothing and wash before re-use.

For normal conditions, wear safety glasses. Where there is reasonable probability of liquid contact, wear splash-proof goggles. **Eye Protection**

Contact lenses should not be worn under such conditions.

Exposure Limits OSHA PEL: None ACGIH TLV: None

be displaced by vapors.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

Boiling Point: 44.6°F (7.0°C) Vapor Pressure (@72°F): 10.8 psig Flash Point None

Flammable Limits in Air: **Evaporation Rate:** Specific Gravity (@72°F): >1 1.33 Nonflammable (Carbon Tetrachloride = 1)

(by Volume) Air=1 BP 4.7 Appearance: Colorless Liquid Faint Ethereal, Sweet Vapor Density: Odor:

Section 10: STABILITY REACTIVIT

Stability Product is stable under normal conditions.

Hazardous Decomposition Halogens and halogen acids; and possibly carbonyl halides. **Products**

Strong acids and alkalis, reactive metals e.g., powdered or freshly abraded aluminum (may cause strong exothermic reaction), sodium, **Incompatible Materials**

potassium, calcium, magnesium, zinc, molten aluminum, barium and lithium shavings. Strong oxidizing agents.

Hazardous Polymerization Does not occur.

> Avoid sources of ignition such as sparks, hot spots, welding flames and lighted cigarettes which may yield toxic and/or corrosive decomposition Conditions to Avoid products. Do not mix with oxygen or air above atmospheric pressure.

Section 11: TOXICOLOGICAL INFORMATION

Dermal Irritation Non-irritation and not a skin sensitizer. **Eye Irritation** Very slight irritant.

> Inhalation Evidence of transient anesthetic effect. 1,1,1,2-Tetrafluoroethane: Lowest observed adverse effect level for cardiac sensitization was 75,000ppm.

Section 12: ECOLOGICAL INFORMATION

Environmental Stability Effect on Aquatic Life Gas is dissipated rapidly in a ventilated area.

CAS 40-73-1: Acute Toxicity to Rainbow Trout (Limit Test): NOEC >10 mg/L; 96 hr. EC50>8108 mg/L CAS 811-97-1: Acute Toxicity to Rainbow Trout (Limit Test): 96 hr. LC50 is 450 mg/L

Section 13: DISPOSAL CONSIDERATIONS

Waste disposal must be in accordance with appropriate Federal, State and local regulations.

Section 14: TRANSPORT INFORMATION

UN Number UN 3163 **Proper Shipping Name** Liquefied Gas, N.O.S (1,1,1,3,3-Pentafluoropropane, 1,1,1,2-Tetrafluoroethane) DOT 2.2, Non-Flammable Gas Class **Hazard Label** Limited Quantities / ORM-D, Shipping Exception (No Hazmat Shipping Fees) **UN Number**

Proper Shipping Name Liquefied Gas, N.O.S (1,1,1,3,3-Pentafluoropropane, 1,1,1,2-Tetrafluoroethane) IATA Class 2.2. Non-Flammable Gas

> Air-Specific Limited Quantities **Hazard Label**

15: REGULATORY INFORMATION Section

USA TSCA Not Listed **Europe EINECS** Not Listed

SARA Tittle III RQ's and EHSTPQ: Not Listed. Sections 311, 312: Not Listed

WHMIS Classification (Canada) SDS meets requirements of SPR **European Union** Not Listed as Hazardous Substance

Contains greenhouse gases, which may contribute to global warming. Regulated in the US under Section 612 (SNAP) of the Clean Air Act and 40 CFR Part 82, subpart G. Additional Regulatory Information

Section 16: OTHER INFORMATION

This SDS was revised and updated as of 1/23/19 Nuance Medical LLC

INFORMATION CONTAINED IN THIS SAFETY DATA SHEET IS OFFERED WITHOUT CHARGE FOR USE BY TECHNICALLY QUALIFIED PERSONNEL AT THEIR DISCRETION AND RISK. ALL STATEMENTS, TECHNICAL INFORMATION AND RECOMMENDATE CONTAINED HEREIN ARE BASED ON TESTS AND DATA WHICH WE BELIEVE TO BE RELIABLE, BUT THE ACCURACY OR COMPLETENESS THEREOF IS NOT GUARANTEED AND NO WARRANTY OF ANY KIND IS MODE WITH RESPECT THERETO. THIS INFORMATION IS NOT INTENDED AS A LICENSE TO OPERATE UNDER OR A RECOMMENDATION FRACTICE OR INFRINCE ANY PATENT OF THIS COMPANY OR OTHER COVERING ANY PROCESS, COMPOSITION OF MATTER OR USE. SINCE THE COMPANY SHALL HAVE NO CONTROL OF THE USE OF THE PRODUCT DESCRIBED HEREIN, THE COMPANY ASSUMES NO LIABILITY OF LOSS OR DAMAGE INCURRED FROM THE PROPER OR IMPROPER USE OF SUCH PRODUCT.